

THE NETHERLANDS (N E D E R L A N D)





COMMUNICATION

Concerning (1):

- approval granted
- approval extended
- approval refused
- approval withdrawn
- production definitely discontinued

of a type of LPG equipment pursuant to Regulation number 67.

RDW

Approval number: E4-67R-010331

- 1. LPG equipment considered (1):
 - Container including the configuration of accessories fitted to the container, as laid down in Appendix 1 to this annex.
 - 80% stop valve
 - Level indicator
 - Pressure relief valve (discharge valve)
 - Pressure relief device
 - Remotely controlled service valve with excess flow valve
 - Multi-valve, including the following accessories:
 - -80 per cent stop, level indicator, pressure relief valve, excess flow valve, non return valve, Fuse, automatic shut off valve and manual operating taps.
 - Gas-tight housing
 - Power supply bushing (pump/actuators)
 - Fuel pump
 - Vaporiser/pressure regulator
 - Shut-off valve
 - Non-return valve
 - Gas tube pressure relief valve
 - Service coupling
 - Flexible hose
 - Remote filling unit
 - Gas injection device or injector
 - Fuel rail
 - Gas dosage unit
 - Gas mixing piece
 - Electronic control unit
 - Pressure/temperature sensor
 - LPG filter unit



P.O. Box 777 2700 AT Zoetermeer The Netherlands Tel. + 31 (0)79 345 81 43 Fax + 31 (0)79 345 80 43

www.rdw.nl

Vehicle Approval and Information

Extension number: 01

2. Trade name or mark : STAKO

3. Manufacturer's name and address : StakoSp. Z.o.o.

Poznanska 54 76-200 Slupsk

Poland

4. If applicable, name and address of

manufacturer's representative

Submitted for approval on : June 2013

6. Technical service responsible for

5.

conducting approval tests

: Kiwa Nederland B.V.

P.O.Box 137

7300AC Apeldoorn The Netherlands

7. Date or report issued by that Service : 01-12-2014

8. Number of report issued by that Service: 126832, 141200043

9. Approval : granted/refused/extended/withdrawn (1)

10. Reason(s) of extension (if applicable) : E4-67R-010331 ext.01

The current homologated Cylindrical LPG Tank is extended with a new accessory (Multi-valve)

fitted to the LPG Tank.

The current Multi-valve Lovato MV305 is

extended with a new version.

11. Place : Zoetermeer

12. Date : 15-DEC-2014

13. Signature :

Ing A.M. Boekestein

14. The documents filed with the application or extension of approval can be obtained upon request.

⁽¹⁾ Strike out what does not apply.

APPENDIX 1 (containers only)

1. Container characteristics from the Parent Container (Configuration 00):

(a) Trade name or mark : Stako

(b) Shape : Cylindrical

(c) Material : Steel grade P245 NB according to EN 10120

(d) Openings : One (MV flange) based on the drawing

1106.01.000

(e) Wall thickness : 3,0 mm

(f) Diameter (cylindrical container) : 290 mm

(g) Height (special container shape) : n/amm

(h) External surface : 8100 cm²

(i) Configuration of accessories fitted to container: see Table 1.



Table 1:

Number	Item	Type	Approval number	Extension number
a	80 % stop valve	See Multi-valve	n/a	n/a
b	Level indicator	See Multi-valve	n/a	n/a
c	Pressure relief valve	See Multi-valve	n/a	n/a
d	Remotely controlled	n/a	n/a	n/a
	service valve with			
	excess valve			
e	Fuel pump	n/a	n/a	n/a
f	Multi-valve	Lovato MV 305	E4-67R-	22
			0194004	
g	Gas-tight housing	n/a	n/a	n/a
h	Power supply bushing	n/a	n/a	n/a
i	Non return valve	See Multi-valve	n/a	n/a
j	Pressure relief device	See Multi-valve	n/a	n/a

2. List of the container family:

The lists of the container family indicate the diameter, capacity, external surface and the possible configuration(s) of the accessories fitted to the container.

Table 2:

Number	Type	Diameter/	Capacity	External	Configuration
		height	(L)	surface	of accessories
		(mm)		(cm^2)	(codes) (1)
01	ZW-1106	290/854	51	8100	00
02	ZW-1106	290/854	51	8100	01

⁽¹⁾ Code 00 and, if applicable, same code(s) from Table 3.

3. List of the possible configurations of accessories fitted to the container:

Specify a list of the possible accessories, which differ from the tested configuration of accessories (code 00) and which may be fitted to the type of container. Specify for all accessories, type, approval number and extension number, indicating its own configuration code.

Table 3:

Number	Accessories	Туре	Approval number	Extension number	Configuration of accessories (codes) (1)
a	Multi-valve	Lovato MV305	E4-67R- 0194004	22	00
b	Multi-valve	Lovato MV305	E4-67R- 0194004	24	01
С					
d					

